

The logo for Sunred heat systems is centered on a white rectangular background. The word "sunred" is written in a lowercase, sans-serif font, with "sun" in yellow and "red" in red. A registered trademark symbol (®) is located at the top right of the "d". Below "sunred", the words "heat systems" are written in a smaller, lowercase, grey sans-serif font.

sunred[®]
heat systems

POSITIONING

Sunred is a high-end yet affordable brand. Rather than just communicating with technical features, which are sometimes difficult to understand for customers, Sunred focuses on design and offers lifestyle experience to customers. Sunred believes that the products should blend well with the exterior.

By playing an active role in all phases of the purchase process, before- during and after, Sunred is able to create a full brand experience for consumers

SUNRED: MORE THAN JUST A PATIO HEATER.

sunred[®]
heat systems







SUNRED®

HEATING ELEMENTS EXPLAINED

PREMIUM CHOISE

BUDGET CHOISE



Warmth



Light intensity
Lummen



100 LUX

250 LUX

11.500 LUX

0 LUX

800 LUX

Infrared wave

Medium wave

Extreme short wave

Short wave

Long wave

Long wave

Heating technology

Carbon Rose Gold

Halogen Rose Gold

Halogen

Black Panel

Quartz

Gas

SUNRED®

HEATING ELEMENTS
EXPLAINED



100 LUX

Medium wave

Carbon Rose Gold

Warmth

Light intensity
Lummen

Infrared wave

Heating technology



High Performance

High Efficient Infrared Carbon Rose Gold Technology

Smooth power build-up

No peak voltage by build in soft starter

Say goodbye to bright red light

Ultra Low Glare middle wave infrared Technology with almost no light intensity

Sunred Heater Dark Wall Black 2500 Watt

D A R K



Information



Code: RD-DARK-25

EAN: 8719956290930

Additional info

Sunred Heater Dark Wall Black 2500 Watt
Settings: 800/1600/2500 Watt
Cable cord: 1,8 m
On/off switch: button
Incl. remote control, soft touch and wall bracket

Heating Element: Carbon Rose Gold Technology

Dimensions: 81,7 x 10 x 14,1 cm


Radiation range: 25 m2 - Hz 10m2



PRODUCT VIDEO




LIFESTYLE VIDEO



ULTRA LOW GLARE

Not bright to the eyes, no sharp red light.




SOFT TOUCH TECHNOLOGY

Control your heater with a touch of your finger.



WEATHER RESISTANT

Protection class IP55



SWITCHABLE HEAT SETTINGS


Switchable in 3 power settings.
Eco-friendly in the lowest power setting.



REMOTE CONTROL INCLUDED

A remote control is included.

CR2450 battery is not included. Please note: Icons on the remote can vary.



ELEMENT LIFE EXPECTANCY

App. 10.000 Hours.

Sunred Heater Dark Standing Black 2500 Watt

D A R K



Information



Code: RD-DARK-25S

EAN: 8719956292163

Additional info

Sunred Heater Dark Standing Black 2500 Watt

Settings: 650/1300/2000 Watt

Cable cord: 1,8 m

On/off switch: button


Incl. remote control, soft touch and wall bracket

Heating Element: Carbon Rose Gold Technology

Dimensions: 81,7 x 150-198 cm - 12 kg

Radiation range: 25 m² - Hz 10 m²






DESIGNED FOR YOUR SMARTPHONE

Gain control of your patio heater.

An active internet connection is required to operate your patio heater.



Unlock powerful control options with the Sunred app

- Easily manage your heater(s)
- Adjust heat intensity
- Add more than 100+ devices
- Group heaters in different areas

Sunred Heater Triangle Dark Smart Wall Black 2500 Watt

DARK SMART



WiFi



Information

Code: PRO25W-SMART

EAN: 8719956292224

Additional info

Sunred Heater Triangle Dark Smart Wall Black 2500 Watt

Settings: 9 settings - 2500 W total

Cable cord: 1,8 m


On/off switch: button

Incl. WiFi connection with app (Android and iOS), remote control, timer, soft touch and wall bracket

Heating Element: Carbon Rose Gold Technology

Dimensions: 77 x 15,5 x 13 cm - 3 kg


Radiation range: 25 m² - Hz 10 m²



DESIGNED FOR YOUR SMARTPHONE

Gain control of your patio heater.


An active internet connection is required to operate your patio heater.



REMOTE CONTROL INCLUDED

A remote control is included.


CR2450 battery is not included. Please note: Icons on the remote can vary.



SWITCHABLE HEAT SETTINGS


Switchable in 9 power settings.

Eco-friendly in the lowest power setting.




SOFT TOUCH TECHNOLOGY

Control your heater with a touch of your finger.



ULTRA LOW GLARE

Not bright to the eyes, no sharp red light.



ELEMENT LIFE EXPECTANCY

App. 10.000 Hours.

*based on the ideal situation

Sunred Heater Valencia Dark Lounge Black 3000 Watt

D A R K



Information



Code: RD-DARK-3000L

EAN: 8719956292170

Additional info

Sunred Heater Valencia Dark Lounge Black 3000 Watt
Settings: 1500/1500/3000 Watt
Cable cord: 1,8 m
On/off switch: button
Incl. remote control, soft touch and safeguard tip over

Heating Element: Carbon Rose Gold Technology

Dimensions: 40 x 22 x 150 – 13,7 kg

Radiation range: 30 m² – Hz 12 m²


INCL. RAIN COVER



LIFESTYLE VIDEO



SUNRED®
HEATING ELEMENTS
EXPLAINED



Warmth



Light intensity
Lummen



11.500 LUX

Infrared wave

Short wave

Heating technology

Halogen



Heat + Light

a combination of cozy warmth
and ambiance light

Comfortable heat

Infrared Halogen Technology max heat
within seconds

The reliable heat source

Proven short wave infrared technology for
many year

Sunred Heater Indus II Bright Hanging Black 2100 Watt

B R I G H T



Information



Code: IND-2100H

EAN: 8719956291456

Additional info

Sunred Heater Indus II Bright Hanging Black 2100 Watt

Settings: 900/1200/2100 Watt

Cable cord: 1,8 m

On/off switch: switch

Incl. remote control, chain and soft touch technology

Heating Element: Halogen

Dimensions: 36 x 43 cm dia - 3,3 kg

Radiation range: 17 m² - Hz 7 m²



Sunred Heater Indus II Bright Hanging Black 3000 Watt



Information



Code: IHD-3000H

EAN: 8719956293207

Additional info

Sunred Heater Indus II Bright Hanging Black 3000 Watt

Settings: 1500/1500/3000 Watt

Cable cord: 1,8 m


On/off switch: switch

Incl. remote control, chain and soft touch technology

Heating Element: Halogen

Dimensions: 132 x 42,5 x 34,5 cm - 10 kg

Radiation range: 24 m² - Hz 9 m²*



B R I G H T



Sunred Heater Indus Bright Standing Black 2100 Watt

B R I G H T



Information



Code: RSS19

EAN: 8718801859247

Additional info

Sunred Heater Indus Bright Standing Black 2100 Watt

Settings: 900/1200/2100 Watt

Cable cord: 1,8 m

On/off switch: switch

Incl. safeguard tipover

Heating Element: Halogen

Dimensions: 45,5 x 45 x 210 cm - 16,6 kg

Radiation range: 17 m² - Hz 7 m²



Sunred Heater Retro Bright Hanging Black 2100 Watt

B R I G H T



Information



Code: RSH17

EAN: 8718801857229

Additional info

Sunred Heater Retro Bright Hanging Black 2100 Watt
Settings: 900/1200/2100 Watt
Cable cord: 1,8 m
On/off switch: button
Incl. chain, remote control and Soft Touch Technology

Heating Element: Halogen

Dimensions: 31 x 47,5 cm dia - 3,5 kg

Radiation range: 17 m² - Hz 7 m²

Sunred Heater Retro Bright Standing Black 2100 Watt

B R I G H T



Information



Code: RSS16

EAN: 8718801854372

Additional info

Sunred Heater Retro Bright Standing Black 2100 Watt

Settings: 900/1200/2100 Watt

Cable cord: 1,8 m

On/off switch: switch

Adjustable hood and safeguard tipover

Heating Element: Halogen

Dimensions: 45 x 47,5 x 210 cm - 14,5 kg

Radiation range: 17 m² - Hz 7 m²

Sunred Heater Artix Corda Bright Hanging Brown 1800 Watt

B R I G H T



Information



Code: ARTIX M-HO BROWN

EAN: 8719956290794

Additional info

Artix Corda Bright Hanging Brown 1800 Watt

Settings: 800/1000/1800 Watt

Cable cord: 1,8 m

On/off switch: button

Incl. soft touch technology, LED light, remote control, chain and Olefin head

Heating Element: Halogen


Dimensions: 30 x 60 cm dia - 4 kg

Radiation range: 15 m² - Hz 6 m²



Sunred Heater Artix Corda Bright Standing Brown 2100 Watt

B R I G H T



Information



Code: ARTIX M-SO BROWN

EAN: 8719956290787

Additional info

Artix Corda Bright Standing Brown 2100 Watt

Settings: 900/1200/2100 Watt

Cable cord: 1,8 m

On/off switch: button

Incl. safeguard tipover and Olefin head

Heating Element: Halogen

Dimensions: 213 x 60 cm dia - 16 kg

Radiation range: 17 m² - 7 m²*

*based on the ideal situation

Sunred Heater Artix Compact Bright Hanging Black 1500 Watt

B R I G H T



Information



Code: ARTIX C-HB

EAN: 8718801857656

Additional info

Artix Compact Bright Hanging Black 1500 Watt

Settings: 600/900/1500 Watt

Cable cord: 1,8 m

On/off switch: button

Incl. soft touch technology, LED light, remote control and chain

Heating Element: Halogen

Dimensions: 30 x 50 cm dia - 3 kg

Radiation range: 12 m² - Hz 5 m²*



Sunred Heater Artix Compact Bright Standing Black 1500 Watt

B R I G H T



Information



Code: ARTIX C-SB

EAN: 8718801857670

Additional info

Artix Compact Bright Standing Black 1500 Watt

Settings: 1500 Watt

Cable cord: 1,8 m


On/off switch: pull cord

With safeguard tipover

Heating Element: Halogen

Dimensions: 195 x 50 cm dia - 12 kg

Radiation range: 12 m² - Hz 5 m²*



*based on the ideal situation

Sunred Heater Artix Bright Hanging Black 1800 Watt

B R I G H T



Information



Code: ARTIX HB

EAN: 8718801852590

Additional info

Sunred Heater Artix Bright Hanging Black 1800 Watt

Settings: 800/1000/1800 Watt

Cable cord: 1,8 m

On/off switch: button

Incl. chain, remote control, soft touch and LED light

Heating Element: Halogen

Dimensions: 32 x 74 cm dia - 5 kg


Radiation range: 15 m² - Hz 6 m²



*based on the ideal situation

Sunred Heater Artix Bright Standing Black 2100 Watt

B R I G H T



Information



Code: ARTIX SB BASIC

EAN: 8718801853092

Additional info

Sunred Heater Artix Bright Standing Black 2100 Watt

Settings: 900/1200/2100 Watt

Cable cord: 1,8 m

On/off switch: button

Incl. safeguard tipover

Heating Element: Halogen

Dimensions: 224 x 74 cm dia - 15,6 kg

Radiation range: 17 m² - 7 m²

Sunred Heater Artix Bright White

B R I G H T



Information



Code: ARTIX C-HW

EAN: 8718801857649

Additional info

Artix Compact Bright Hanging White 1500 Watt
 Settings: 600/900/1500 Watt
 Cable cord: 1,8 m
 On/off switch: button
 Incl. chain, remote control, soft touch and LED light

Heating Element: Halogen

Dimensions: 30 x 50 cm dia - 3 kg

Radiation range: 12 m² - Hz 5 m²*

Information



Code: ARTIX HW

EAN: 8718801852583

Additional info

Artix Bright Hanging White 1800 Watt
 Settings: 800/1000/1800 Watt
 Cable cord: 1,8 m
 On/off switch: button
 Incl. chain, remote control, soft touch and LED light

Heating Element: Halogen

Dimensions: 32 x 74 cm dia - 5 kg

Radiation range: 15 m² - Hz 6 m²*

Information



Code: ARTIX SW BASIC

EAN: 8718801853085

Additional info

Artix Bright Standing White 2100 Watt
 Settings: 900/1200/2100 Watt
 Cable cord: 1,8 m
 On/off switch: button
 Incl. safeguard tipover

Heating Element: Halogen

Dimensions: 224 x 74 cm dia - 15,6 kg

Radiation range: 17 m² - Hz 7 m²*

*based on the ideal situationb

Sunred Heater Bright Parasol Black/Silver 2000 Watt

B R I G H T



Information



Code:	PH10
EAN:	8717568087054

Additional info

Sunred Heater Bright Parasol Black/Silver 2000 Watt
Settings: 650/1300/2000 Watt
Cable cord: 1,8 m
On/off switch: button
Foldable - suitable for parasol pole - max 60 mm

Heating Element:	Halogen
Dimensions:	100 x 100 x 8,5 cm – 3,6 kg
Radiation range:	16 m ² – Hz 6 m ² *



*based on the ideal situation

SUNRED®

HEATING ELEMENTS
EXPLAINED



Warmth

Heating technology



Flexible and mobile

No electricity connection required

Large heating range

Powerful heat source with a maximum power of up to 14,000 watts

Adjustable heat output

Easy to set to the desired heat setting by means of the rotary knob

Sunred Heater Bogo Gas Flame Table Grey 10500 Watt



Information



Code:	BOGO-20
EAN:	8719956293191


Additional info

Sunred Heater Bogo Gas Flame Table Grey 10500 Watt
Settings: 5.000 - 10.500 Watt
Ignition: electrical
Incl. Lava rocks, safety glass, hose and Dutch 30mbar regulator

Heating Element:	Gas
Dimensions:	90 x 38 cm dia - 10 kg
Radiation range:	25-50 m2*



G A S



Sunred radiation range per heating element

	Ultra	Dark	Bright	Nero	Quartz
Warmth					
Light intensity Lumen	 250 LUX	 100 LUX	 11.500 LUX	 0 LUX	 800 LUX
Infrared wave	Extreme short wave	Medium wave	Short wave	Long wave	Long wave
Extra reflection	Rose Gold Technology	Rose Gold Technology	No	No	No
Heating element / technology	Halogen Rose Gold	Carbon Rose Gold	Halogen	Black panel	Quartz
Smart (WiFi)	No	Yes	No	No	No

Power	Radiation range in m2*				
1200 W		12 m2 / Hz 5 m2			
1500 W	18 m2 / Hz 7 m2	15 m2 / Hz 6 m2	12 m2 / Hz 5 m2		10 m2 / Hz 4 m2
1800 W			15 m2 / Hz 6 m2	12 m2 / Hz 5 m2	
2000 W	24 m2 / Hz 9 m2	20 m2 / Hz 8 m2	16 m2 / Hz 6 m2		14 m2 / Hz 5 m2
2100 W	25 m2 / Hz 10 m2		17 m2 / Hz 7 m2		
2400 W				15 m2 / Hz 6 m2	
2500 W	30 m2 / Hz 12 m2	25 m2 / Hz 10 m2	20 m2 / Hz 8 m2		
3000 W	36 m2 / Hz 14 m2	30 m2 / Hz 12 m2	24 m2 / Hz 9 m2		

Hz = Hot zone - most ideal zone to experience the best possible heat

* These values are indicative

** Gas heaters approx. 50 m2